ELSEVIER

Fluid Phase Equilibria 121 (1996) 301–302

FLUID PHASE EQUILIBRIA

Contents of Volume 121 (1996)

Vol. 121, Nos. 1–2

Thermochemical investigations of hydrogen-bonded solutions. Part 8. Comparison of mobile order theory and the Kretschmer–Wiebe association model for predicting anthracene solubilities in binary alcohol + alcohol solvent mixtures
A.I. Zvaigzne, J.R. Powell, W.E. Acree, Jr. (Denton, TX, USA) and S.W. Campbell (Tampa, FL, USA) 1–13

Matching equation of state mixing rules to activity coefficient model expressions
M.L. Michelsen (Lyngby, Denmark) 15–26

Simultaneous estimation of excess enthalpy, excess Gibbs energy and vapor–liquid equilibrium using the modified Wilson model
J.-f. Huang and L.-s. Lee (Chung-li, Taiwan) 27–43

Group-contribution estimation of the enthalpy of vaporization of organic compounds
C.-H. Tu and C.-P. Liu (Taichung, Taiwan) 45–65

A comparison of various cubic equation of state mixing rules for the simultaneous description of excess enthalpies and vapor–liquid equilibria
H. Orbey and S.I. Sandler (Newark, DE, USA) 67–83

Development of a Modified Bromley's Methodology (MBM) for the estimation of ionic media effects on solution equilibria. Part 1. Calculation of the interaction parameters in the molar and molal scales at 25°C
G. Borge, R. Castaño, M.P. Carril, M.S. Corbillón and J.M. Madariaga (Bilbao, Spain) 85–98

Development of a Modified Bromley's Methodology (MBM) for the estimation of ionic media effects on solution equilibria. Part 2. Correlation of the molar and molal interaction parameters with the charge and crystal radii of the ions
G. Borge, N. Etxebarria, L.A. Fernández, M.A. Olazabal and J.M. Madariaga (Bilbao, Spain) 99–109

Improved modelling of vapour–liquid equilibria up to the critical region. Application to the CO_2–CH_4–N_2 system
R. Thiéry and J. Dubessy (Vandoeuvre-les-Nancy, France) 111–123

A modified NRTL equation for the calculation of phase equilibrium of polymer solutions
Y.-T. Wu, Z.-Q. Zhu, D.-Q. Lin and L.-H. Mei (Hangzhou, China) 125–139

A composite phase diagram of structure H hydrates using Schreinemakers' geometric approach
A.P. Mehta, T.Y. Makogon (Golden, CO, USA), R.C. Burruss (Denver, CO, USA), R.F. Wendlandt and E.D. Sloan (Golden, CO, USA) 141–165

Application of the Le Chatelier principle on gas reactions
Z.-K. Liu, J. Ågren and M. Hillert (Stockholm, Sweden) 167–177

On the inapplicability of mixing rules based on the infinite pressure reference state for equations of state which use the hard-sphere repulsive term
S. Brandani and V. Brandani (L'Aquila, Italy) 179–184

Further development, status and results of the PSRK method for the prediction of vapor–liquid equilibria and gas solubilities
K. Fischer and J. Gmehling (Oldenburg, Germany) 185–206

Modeling of multiphase liquid equilibria for multicomponent mixtures
F. García-Sánchez, J. Schwartzentruber, M.N. Ammar and H. Renon (Paris, France) 207–225

Experimental vapor pressure data and a vapor pressure equation for trifluoroiodomethane (CF_3I)
Y.-Y. Duan, M.-S. Zhu and L.-Z. Han (Beijing, China) 227–234

Salt effects on vapour–liquid equilibrium of acetone–methanol system
M.C. Iliuta and F.C. Thyrion (Louvain-la-Neuve, Belgium) 235–252

Measurement and correlation of ion activity coefficients in aqueous solutions of mixed electrolyte with a common ion
M.K. Khoshkbarchi and J.H. Vera (Montreal, Quebec, Canada) 253–265

Solubility of anthracene and anthraquinone in acetonitrile, methyl ethyl ketone, isopropyl alcohol and their mixtures
E.A. Cepeda (Alava, Spain) and M. Diaz (Asturias, Spain) 267–272

Shear flow and the phase behaviour of polymer blends
W. Soontaranun, J.S. Higgins and T.D. Papathanasiou (London, UK) 273–292

Errata 293–295

Subject index 297

Author index 299

Contents of volume 301